## 10/511264 DT01 Rec'd PCT/PTC 19 OCT 2004

## IN THE CLAIMS:

The following is a complete listing of claims in this application.

- 1. (original) Inoculating alloy for cast iron containing (by weight) 0.005 to 3% of an element in the bismuth, lead and antimony group, 0.3 to 10% of metals in the group consisting of rare earths and possibly up to 5% of aluminium and up to 1.5% of calcium, the remainder being ferro-silicon, characterised in that lanthanum accounts for more than 90% of the rare earth metals used in its composition.
- 2. (original) Alloy according to claim 1, characterised in that it contains from 0.3 to 8% of lanthanum and from 0.2 to 1.5% of bismuth.
- 3. (currently amended) Alloy according to one of claims 1 or 2 claim 1, characterised in that it contains between 0.7 and 1.3% of bismuth.
- 4. (currently amended) Alloy according to one of claims 1 to 3 claim 1, characterised in that it contains between 0.5 and 5% of lanthanum.
- 5. (currently amended) Alloy according to  $\frac{1}{1}$  to 4  $\frac{1}{1}$ , characterised in that it contains between 0.8 and 5% of aluminium.
- 6. (original) Alloy according to claim 5, characterised in that it contains between 1 and 3.5% of aluminium.
- 7. (currently amended) Alloy according to one of claims 1 to 6 claim 1, characterised in that it is conditioned in the form of a powder.
- 8. (currently amended) Alloy according to one of claims 1 to 6 claim 1, characterised in that it is conditioned in the form of slugs for treatment "in the mould".
- 9. (original) Alloy according to claim 8, characterised in that the slug is obtained by moulding from molten alloy.

1727 KING STREET ALEXANDRIA, VIRGINIA 22314-2700

- 10. (original) Alloy according to claim 8, characterised in that the slug is obtained by agglomeration of a powder.
- 11. (original) Alloy according to claim 10, characterised in that the powder grain size is smaller than 1 mm, with the size grading fraction between 50 and 250  $\mu$ m accounting for more than 35% of the total weight, and the fraction smaller than 50  $\mu$ m representing less than 25%.
- 12. (currently amended) Alloy according to one of claims 10 or 11 claim 10, characterised in that the average composition of the alloy is obtained by a mix of alloy powders with different compositions